



Mahadevananda Mahavidyalaya

NAAC reaccredited at "A" Grade

Monirampore, Barrackpore, North 24 Parganas, Pin – 700120

E-mail: mahadevanandamahavidyalaya@gmail.com, Web: http://www.mmbkp.ac.in

Phone: +91 (033) 2592-0577, +91 (033) 2593-0843, Fax: +91 033 25930843

Ref No.

Date: 16-09-2025

Notice: 106/2025-26

INVITING QUOTATION

Date: 14.08.2025

Sealed quotations are hereby invited from reputed suppliers/vendors for the supply of the following CCTV Camera & equipments:

Sr. No.	Item Description	Problem found
1	DIGISOL 8 CH POEGIGABIT SWITCH	OK
2	DIGISOL 8 CH SGIGABIT SWITCH	NO SIGNAL
3	DIGISOL 8 CH GIGABIT SWITCH	NOT WORKING
4	DIGISOL 8 CH GIGABIT SWITCH	NO SIGNAL
5	NVR 1602X SATATYA PARAMA	NO DETECTED CAMERA
6	SATATYA BULLET IP C1BR20FL60CWS	NOT WORKING
7	SATATYA BULLET IP C1BR20FL60CWS	LANCE
8	SATATYA BULLET IP C1BR20FL60CWS	NOT WORKING
9	SATATYA BULLET IP C1BR20FL60CWS	IP NOT FOUND
10	SATATYA BULLET IP C1BR20FL60CWS	OK
11	SATATYA BULLET IP C1BR20FL60CWS	LANCE
12	SATATYA BULLET IP C1BR20FL60CWS	RJ 45 & IP
13	SATATYA BULLET IP C1BR20FL60CWS	NOT WORKING
14	SATATYA BULLET IP MIBR20FL36CWS	OK
15	SATATYA BULLET IP MIBR20FL36CWS	NOT WORKING
16	DIGISOL 8CH ETHERNET SWITCH GS1008DG	NO SIGNAL
17	DIGISOL 8CH ETHERNET SWITCH GS1008DG	OK
18	TP-LINK TL SG-1005D 5 PORT ETHERNET SWITCH	OK
19	NVR ADAPTER ERD 12V-2A	NEED 12V-5A

Terms & Conditions:

1. Quotations must include all applicable taxes, Delivery and installation charges.
2. The items should be of standard quality and brand.
3. Quotations must be submitted in a sealed envelope clearly marked "Quotation for CCTV Camera & equipments."
4. The last date for submission of quotations is 28.08.2025 by 4 PM.
5. The undersigned reserves the right to accept or reject any quotation without assigning any reason.

Shahiri 14.08.25

Principal

Principal
Mahadevananda Mahavidyalaya
Monirampur, P.O: Barrackpore
24-Parganas (North)